VAP-1 amino acid sequence (SEQ ID NO:1)

FIG. 1-1

CAYALCAGKLSINCIYNKIGYMTNAIIYEKGDACTSDAECTTYSDSQCKNGLCYK VENCPTFTYSVCQYGPAGNYMNQLIYTKGSPCTADADCPGTQTCSVAEALCVIP **APQAPVVETFTMCPSVTDQSDQARQNFLDTHNKLRTSLAKGLEADG!AAGAFAP** GSIADPLPYASMAVNGWWSEIRTVGLTDPDNKYTNSAMFRFANMANGKASAFG KIQTAEDSSKAWWSELKDFGVGSDNILTQAVFDRGVGHYTQMAWEGTTEIGCF PNKCGLLSGGKNVYELNWDCEMEAKAQEWADGCPSSFQTFDPTWGQNYATYM MAKQMPKLVKYSCTVEANARTWAKGCLYQHSTSAQRPGLGENLYMISINNMP **MAVLAVVLLLACLERAVAQTFGCSNTKINDQARKMFYDAHNDARRSMAKGLE** cDNA nucleotide sequence (SEQ ID NO:2) vap-1

GGGATCGATTGCTGATCCGCTTCCATACGCTTCCATGGCTGTTAATGGGTGGT GTTCTATGATGCTCACAATGATGCAAGACGAAGCATGGCTAAAGGGCTTGAG ATGCCGGTATTAGCAGTGGTACTACTTCTAGCATGCCTGGAGAGGCGGTTG GGTCGGAAATTAGAACCGTAGGACTTACGGATCCTGATAACAAGTACACTAA CACAGACGTTCGGCTGCTCTAACACCCAAGATCAATGACCAGGCTCGTAAGAT GCTCTTTCCAGACATTTGATCCAACATGGGGGCAGAACTACGCGGCGTACAT CCAAACAAGTGCGGACTCTTATCTGGTGGAAAGAATGTTTATGAATTGAATT GGGATTGCGAGATGGAAGCAAAAGCTCAGGAATGGGCAGACGGATGTCCCA

FROM Fig.1-1

CAGTGCAATGTTCCGATTTGCTAATATGGCAAATGGTAAAGCTTCAGCTTTTG GCTGAAGCATTATGTGTTATCCCTTAGTAAATTTTCTATGCAACTCTTTGAAA TTGCTATAAGGCACCTCAAGCTCCAGTCGTTGAGACTTTCACAATGTGCCCT TACTGAAATTGGATGTTTTGTGGAGAATTGTCCAACATTCACTTATTCCGTAT **ACCAGTGACGCTGAATGCACCACCTACTCAGACTCACAATGCAAAAACGGTC ATTCAACAAGCGCACAGAGCCAGGACTCGGTGAAAATCTTTATATGATCAG** GCCAATATGGTCCAGCGGAAACTACATGAACCAACTAATCTATACCAAGGG CTCACCATGCACACTGACGCCGATTGCCCAGGAACCCAGACATGCAGTGTC GATGTGCATACGCGTTGTGCGCAGGAAACTATCCATCAATTGCATTTACAA CGGTCACGGACCAGTCGGATCAGGCGCGTCAAAACTTCTTGGACACCCATA **ACAAATTGCGTACAAGCCTTGCCAAGGGACTTGAAGCTGATGGAATTGCCGC** | GGAGCATTTGCACCAATGCCCAAGCAAATGCCAAAACTGGTAAAATACAGC CATTAACAACATGCCTAAAATTCAAACCGCGGAGGACTCCTCAAAGGCTTGG TGGTCCGAGTTGAAAGACTTCGGAGTCGGTTCTGACAACATTCTGACCCAAG CAAGATAGGATACATGACCAATGCTATCATTTATGAAAAAGGAGATGCCTGT GTCATAATAAATATGCAAAAATTAAAAAAAAAAAA

To Fig.1-3



FROM Fig.1-2

F/G.1-3

VAP-2 amino acid sequence (SEQ ID NO:3)

ELLTEHVCNKSTITQLQQEIILTTHNELRRSLAFGKQRNKRGLMNGARNMYKLD **ESALFTCLYNEKAQCEKEMIYENGKPCCEDKDCFTYPGSKCLVPEGLCQAPSMV** MNVVLSAVTLFLIFRYAQTVNIEGSGGNDELLEQNVWNDVDDKVVEALGGLDD KDDGGSFQCDNSLVSDVTRNFTLEQHNFYRSRLAKGFEWNGETNTSQPKASQM **AVEKWWQELEEFGTPIDNVLTPELWDLKGKAIGHYTQMAWDRTYRLGCGIANC** I KMEYDCMLERF AQNWANNCVF AHSAHYE RPNQGQNL YMSSF SNPDPRSL I HT WDCELASLAANWSTSCPQHFMPQSVLGSNAQLFKRFYFYFDGHDSTVHMRNA PKMSYVVCHYGPAGNRKNNK!YE!GDPCEVDDDCP!GTDCEKTTSLCV!SK MKYWWQQGEEKGNEDQKNRFYARRNYFGWANMAKGKTYRVGCSY1MCGDG

vap-2 cDNA nucleotide sequence (SEQ ID NO:4)

ATGAACGTGGTCCTTTCCGCTGTCACTCTTTTTCTTATTTTCGATATGCGCAG AACTGGATTGGGATTGTGAACTGGCATCACTTGCAGCCAATTGGTCAACCTCC TGCCCTCAGCACTTTATGCCGCAATCGGTACTTGGCTCCAACGCTCAGCTTTT **ACTGTGAATATAGAAGGCAGTGGAGGAAATGATGAGCTTCTTGAGCAGAACG** IGAACTGCTAACCGAACATGTGTGTAACAAATCAACGATCACTCAGCTACAG CAGGAGATCATCTTGACAACCCACAATGAATTACGAAGATCATTGGCTTTCG TGTGGAACGATGTAGACGACAAGGTTGTAGAAGCACTTGGTGGTCTTGATGA GAAAGCAAAGAACAAGAGGGTCTCATGAACGGTGCGAGAAATATGTATA

To Fig.1-4

F/G.1-1

Son of the later o

4/12

FROM Fig.1-3

ATATCCAGGATCAAAATGTTTAGTACCTGAAGGATTATGTCAAGCACCTTCTA IGTCACCCGCAATTTCACTTTGGAGCAACACAATTTTTATAGATCTCGTCTTG **AGGACATTACACTCAGATGGCCTGGGATCGTACTTACCGTCTTGGTTGTGGAA** GATGATTGCCCCATTGGAACAGATTGTGAAAAGACAACTTCTTTATGTGTGAT 4 GGGTCAGAATCTCTACATGAGTTCTTTCTCAAACCCTGATCCTAGAAGCCT1 CAAAAGGTTTTGAATGGAATGGAGAAACAAACATTCCCAGCCAAAGGCTAG **TCAAATGATCAAAATGCAGTATGACTGCATGTTGGAACGGTTTGCACAAAAC** IGGGCAAATAATTGCGTTTTTGCACACTCGGCACATTACGAAAGACCGAATC ATACATACGCCGTCGAGAAGTGGTGGCAGGAATTGGAGGAGTTCGGTACTC TCCCAAACTGTCCGAAGATGTCGTACGTGGTTTGTCACTATGGGCCAGCAGG GAATCTGCACTTTTCACTTGTCTTTATAACGAAAAAGCCCAATGCGAAAAAG 1GGTAAAGGATGATGGAGGAGGATTCCAATGTGATAACTCCCTTGTGTCAGA **AAATGATTTACGAAAATGGAAAACCCTGCTGTGAGGATAAAGACTGTTTCAC** <u> AGAAAAATAGATTCTATGCCAGACGAAATTATTTTGGATGGGCAAACATGGC</u> <u> AAAAGGAAAAACATATCGAGTTGGATGCTCGTATATTATGTGCGGCGACGGT</u> CAATTGATAACGTTCTGACACCCGAATTGTGGGATTTGAAAGGGAAAGCGAT CAACAGAAGAACAATAAAATCTATGAAATCGGGGATCCTTGCGAAGTCGAT **ACCCCATGAAGTATTGGTGGCAGCAAGGTGAAGAAAAAAGGCAATGAGGATC** CTCAAAATAA


AUG 0 5 2002 &



OF OF BRITISHED 5/12

Schematic diagram of nematode venom allergen protein domains

F1G.2



conserved cysteine(s) $oldsymbol{eta}$ hydrophobic signal sequence



CLUSTAL W Alignment of VAP—1, VAP—2, and selected other nematode VA proteins.

FIG.3-1

76	2 2	114	. 69	80	64	99	71
					9CPSNT-GMTDSVRDTFLSVHNEFRSSVARGLEPDALGGNAPKAAKMLKMV-YDCEVEA 64	14CSADFGSSGQNG11NAHNTLRSKI AKGTYVAKGTQKSPGTNLLKMK-WDSAVAA	15 IYTVVNSLIVPEQNAV <u>MDCIINKYRSQLANG</u> KTKN——KN <u>GG</u> NFPSG <u>KDILEVS</u> —YSK <u>DLEK</u>
VAP-1N	VAP-10	VAP-2N	VAP-2N	ASP-1N	ASP-1C	VAP-3	MSP-1

-16.3-2

FROM Fig.3-1

COPY OF PREERS

7/12

119 120 130 114 34 72 S<u>AQRWAINIKCI I DIHINGTDLYSIGCKFYICIEINILIYI</u>LDGDFEH—KN I TQLM I D'AICNAIWWICIESTTDIGI -WGQNYATYMGSI --ADPLPYASMANOWWSEIIRTVG -GENLYM!S!NN--MPK!QTAEDSSKAWWSELKDFG NAQL FKRFYFYFDGHDSTVHMRNAMKYWWQQGEEKG OCONLYMSSFSN--PDPRSLIHTAVEKWWQELEEFG VAQNVMSWSSSGGFPDPSVKIEQTLSGWWSGAKKNG GENI MKTSVLK—FOKNKAAKQASQLWWNELKEFG GENLYWYWTSGSLGDLNQYGSAASWEKEFFQDYG KAQEWADGCPSSFQT--FDPT-60 FAGINWAINICIVF AHSAHYERPIN-67 SA QINYANGCPT CHISC --- DAIG 71 NARTWAKGCL YOHSITSAQRPG 15 LAA NWSTSCPQHFMPQSVLGS 81 OL ODA I OSICIPSA FIAG--- 1 OG 65 SA I RHGNKCV Y QHSHGEDRPG VAP-2C ASP-1N ASP-1C VAP-1C **VAP-1N** VAP-2N MSP-1 VAP-3

176 168 163 7 -YMVCH 31 VP PSW I NNFL PTDNKENDEKFEAVICHWTQMAWAKTYQ I IGCIAL KVICHKPD CNGN——L [1DICIR GHAT QMAWAKSINL I GCGV KD CGRDS NGL NKV TVV CQ -YSVCQ -FGVCO -SINC--AVSCII ---KNR--FYARRN--YFGWANMAKGKTYRVGCSYIMCGDGES--GHYTQMAWDTTNKLCCAVV FCNDFT --V GHYT QMAWEGTTE I GCFVENCPTFT-I GHYTQMAWDRTYRL GCGTANCPKMS-LFAFSNMYYSETTIKL GCAYKV CGTKL-PDNK--YTNSA---MFRFANMANGKASAFGCAYALOAKL-MIND -- ENTG---NVLTPE--LWDLKGKA TA---LWNRPGMO --KYNGGG--126 VGSD---NILTQA--VFDRG---115 TP ID-135VGPD-20|V|GPS-121 WKS---172 NEDQ-VAP-2N ASP-1N ASP-1C VAP-1N VAP-1C VAP-2C VAP-3 MSP-1

CA8 307 AUG 0 5 2002




COPY OF PROPERTY FILED

FROM Fig.3-2

FIG.3-3

OF OF PRELIED AUG 0 5 2002





F1G.4








FIG. 6A




FIG. 6B





FIG. 6C






FIG. 8 mM 4,7 phenanthroline vap-1::myc transgene 0.10 97kDa 66kDa 45kDa 30kDa